




Wholesale Price List OCT 2023

PRODUCT OVERVIEW | SLIDING DOOR SYSTEMS

Sliding Door Systems


Choosing the right sliding door systems can make all the difference - not only for the look of your shower or residential/commercial door, but also in terms of its functionality and security. There are a number of systems available with different sliding and rolling applications to suit your project.



SECTION 4 | SLIDING DOOR SYSTEMS

Product	Page
Apex Soft Close Sliding Door System	3 - 5
MF250 Top Hung Glass Slide System (Heavy Duty)	6 - 7
MRS90 Bottom Sliding Glass Slide	8 - 9
Linear Bottom Roller System	10 - 11
EuroRoller Bottom Sliding System	12 - 13
Sienna SN120 Point Fix Tubular Sliding Door System	14 - 15
SlideStack Bi-Folding and Stacking System	16 - 17
Verona and SS12 Shower Door Slider Kits	18 - 19
Eclipse Concealed Slider System	20
Banio Soft Closer Shower Sliding Door System	21

Product availability




^{*}Please note, availability chart is only an indication of stock expectation and is not guaranteed. (Unforeseen/unusual demand or popularity can affect stock levels)






APEX SLIDING DOOR SYSTEM - GLASS DETAIL



APEX SLIDING DOOR

PRODUCT DESCRIPTION CODE PRICE




APEX Soft Close Sliding door kit

The Apex Soft Close Sliding door kits are designed for popular glass sliding doors in homes, offices and customer facing displays. Designed to work with 10–12mm glass and smooth running, hydraulic soft close feature makes this a popular well priced solution. No holes or cut-outs are required in the glass making it a simple, fast and cost-effective system.

The Slim 83 x 53mm sliding track profile is designed to accommodate for top fixing, side fixing, or sidelight glass mounting and is supplied in a ANO or Black finish track, plastic end caps, 2 x door guides, 2 x soft close and wheel runner kits and stoppers along with a finger pull and fixings. Maximum door weight 120 kgs.



APEX-2000 Soft Close Sliding Door Kit	Brushed Stainless Finish	AP2000-BS	•
(2000mm Track)	Matt Black Finish	AP2000-BK	
APEX-4000 Soft Close Sliding Door Kit	Brushed Stainless Finish	AP4000-BS	0
(4000mm Track)	Matt Black Finish	AP4000-BK	0





MF250 GLASS SLIDE

PRICE MF250 Top Hung Glass Slide System The Opus MF250 Top Hung Rail Sliding System incorporates roller hangers into our door rails that run through a 50x50mm top track to provide a smooth top hung sliding solution. The MF250 Glass Slide is designed for internal and selected external applications. Kits include Door rails complete, manufactured and assembled and supplied with top roller tracks, frameless/reccessed channel guides (where required). All supplied ready for a quick and easy installation. No cutouts in glass required. To be used with 10-12mm glass or larger (15-19mm) on request (Please specify on order). Max door weight up to 250kg (Can be customized to suit larger applications on request) - Please specify glass type and weight - Please specify overall rail length/s required - ANO Natural Finish (Powdercoating Available P.O.A) 1x Door up to 1000mm MF250SD1-1000 (Track 2000mm) Single Door Kit 1x Door up to 1500mm MF250SD1-1500 (Track 3000mm) (Bottom Rail Guide). 1x Door up to 2000mm MF250SD1-2000 (Track 4000mm) 1x Door up to 1000mm MF250SD2-1000 (Track 2000mm) Single Door Kit 1x Door up to 1500mm MF250SD2-1500 (Track 3000mm) (Frameless Guide). 1x Door up to 2000mm MF250SD2-2000 (Track 4000mm) 2x Doors up to 1000mm MF250DD1-1000 (1x 4000mm Track) **Double Door Kit** 2x Doors up to 1500mm MF250DD1-1500 (1x 6000mm Track) (Bottom Rail Guide). 2x Doors up to 2000mm MF250DD1-2000 (2x 4000mm Tracks) 2x Doors up to 1000mm MF250DD2-1000 (1x 4000mm Track) **Double Door Kit** 2x Doors up to 1500mm MF250DD2-1500 (1x 6000mm Track) (Frameless Guide). 2x Doors up to 2000mm MF250DD2-2000 (2x 4000mm Tracks)



MRS90 GLASS SLIDE

MRS90 Bottom Rail Sliding System 25 The Opus MRS90 Bottom Rail Sliding System incorporates nylon/steel roller carrages into our door rails to provide a smooth and simple rolling solution for a bottom sliding 10mm system. Door rails come complete, assembled and supplied with top channels & woolpile 15mm 50 ready for a quick and easy installation. Can be used with 10 or 12mm glass (Please specify on order). Max door weight up to 180kg (Can be customized to suit larger applications on request) Powdercoating on request is available. Single Door Kit up to 1250mm Wide Sliding Rail kit supplied with 4mtr Bottom track, MRS90-1250-1 5mtr Top channel and woolpile, 2x door stops in ANO Natural Finish. - Please specify glass type and weight - Please specify overall rail length required Double Door Kit up to 1250mm Wide Sliding Rails supplied with 6mtr Bottom track, 2x MRS90-1250-2 5mtr Top channel and woolpile, 4x door stops in 77 ANO Natural Finish. - Please specify glass type and weight 57 - Please specify overall rail lengths required **Custom Door Kits** 8 Can be designed with multiple lines of track for MRS90-CUSTOM several doors opening in the same direction and biparting applications. **Bottom Lock with Keeper** MRS90-L Details of top of Door. Notch Setout to Top of Door accommodate top Channel Stops.



LINEAR ROLLING KIT

PRODUCT DESCRIPTION FINISH CODE PRICE



Bottom Wheel Roller Sliding Door System

The Linear sliding door system is a bottom roller sliding frameless glass door system. This frameless sliding door hardware features Linear wheels fitted directly to the 10/12mm Glass that are run on special tracks to allow a very modern frameless glass effect. The floor is load-bearing and the head structure does not need to carry the weight of large doors. Individual fittings available on request. System can be used with multiple lines of track for several doors opening in the same direction and biparting applications.

Specify 10mm or 12mm glass thickness on order.


Each door kit contains:

2 x Wheels Stainless Steel


2 x Top Channel stops

1x Top Channel & Woolpile 5mtr

1x Bottom Track



	1000mm Wide (Track 2000mm)	ANO	L100-1000-ANO	•
		BLACK	L100-1000-BLK	0
L100 KIT	1500mm Wide(Track 3000mm)	ANO	L100-1500-ANO	•
Max door weight 170kg		BLACK	L100-1500-BLK	0
	2000mm Wide (Track 5000mm)	ANO	L100-2000-ANO	•
		BLACK	L100-2000-BLK	0
	1000mm Wide (Track 2000mm)	ANO	L153-1000-ANO	•
L153 KIT Max door weight		BLACK	L153-1000-BLK	0
250kg	1500mm Wide (Track 3000mm)	ANO	L153-1500-ANO	•
		BLACK	L153-1500-BLK	0
	2000mm Wide	ANO	L153-2000-ANO	•
	(Track 5000mm)	BLACK	L153-2000-BLK	0





EUROROLLER SYSTEM

CODE



Bottom Wheel Roller Sliding Door System

The Euroroller achieves smooth movement using two stainless steel base rollers of 90mm diameter which effortlessly glide over the slim profile, stainless steel track. Combined with a top channel guide, this simple and smart system allows for any combination of door and side panel sizes, with weight loading up to 150kg per door. Individual fittings available on request. System can be used with multiple lines of track for several doors opening in the same direction and biparting applications. Specify 10mm or 12mm glass thickness on order. Max load 150kg per door.


Each door kit contains:

2 or 4 x Rollers Stainless Steel (Satin, Polished, or Black)


2 or 4 x Top Channel stops


1 or 2 x Top Channel & Woolpile

1 or 2 x Bottom Track (either 2m or 4m)




Single Door Kit		Satin	RS10-2SD-SS	•
	2mtr Track	Polished	RS10-2SD-PS	•
		Black	RS10-2SD-BK	•
		Satin	RS10-4SD-SS	•
	4mtr Track	Polished	RS10-4SD-PS	•
		Black	RS10-4SD-BK	•
		Satin	RS10-4DD-SS	•
Double Door Kit	4mtr Track	Polished	RS10-4DD-PS	•
		Black	RS10-4DD-BK	•






Stop - glass cutout detail



Roller - glass cutout detail







SIENNA TUBULAR SYSTEM

PRODUCT	DESCRIPTION	SIZE CODE	PRICE	
Glass Mount	Tubular top hung sliding door system supplied as single door sets. Two sets can be joined for biparting door applications.			
	All components satin stainless steel mounting brackets, stops and floor Max door weight 120kg. Max door weight 2400mm. Glass th	finish. Sets include track, hangers, guide.		
	Glass Mount Sets Glass mount sets contain mount	Suit up to 1250mm wide door. SNGG25 2500mm track	•	
	Includes 7 glass mount brackets.	Suit up to 1500mm wide door. SNGG30 3000mm track.	•	
Solid Wall Moun	Solid Wall Mount Sets Solid wall mount sets contain moun brackets to fix track to solid timber/ concrete walls.		•	
	SNGW25 includes 5 glass mount brackets. SNGW30 includes 6 glass mount brackets.	Suit up to 1500mm wide door. SNGW30 3000mm track	•	
	Track jointer	SNTJ10	•	
	Over panel bracket	SN25-15	•	
	25 14 19 25 026	25/EC End Cap for Track \$\phi_{55}\$		
	25/DSR 25/DSL Door Stop (right hand) Door Stop (left hand) 43 50 15 15 24 24 25 26 34 05	38 23 30 Ø30		
	1/25SN 8-12/SN Wall Bracket for Solid Wall Floor Guide	2/25SN Hanger in Wall Bracket for Glass SN120G kit		


PRODUCT OVERVIEW | SLIDESTACK



SLIDESTACK

PRICE SLIDESTACK Top Hung Bi-Folding & Stacking System The Opus SlideStack Top Hung Rail Sliding System incorporates horizontal roller hangers into our specialized AGA door rails that run through a robust header top track to provide a smooth top hung bi-folding or stacking sliding solution. The SlideStack is designed for internal folding and stacking wall and screens or sheltered external applications like shopfronts, showrooms or restaurant and bar frontages protected by a canopy. Kits include Door rails complete, manufactured and assembled and supplied with top roller tracks, frameless/reccessed channel guides (where required). All supplied ready for a quick and easy installation. Cutouts in glass required for top hung door rails. To be used with 10-15mm glass (Please specify on order). Max door leaf weight up to 220kg (with 2x rollers) and 110kg max (with 1x roller) - Kits are P.O.A, Please get in touch with enquires. - Limited stocks available. Replacement of system is subject to design change TBC. Centrally Hung Bi-Fold • **Single Direction** Side Hung Bi-Fold **Single Direction** Centrally Hung Bi-Fold • **Dual Direction** Side Hung Bi-Fold • **Dual Direction** Centrally Hung Bi-Fold • Single Direction + Fixed Door Side Hung Bi-Fold • Single Direction + Fixed Door 98/85 TRACK TRACK (2 COVER ROLLER STOP D61 LOCK SHOOT KEEPERS TRACK END B) ROLLER CARRIAGE

VERONA SHOWER DOOR KIT



VERONA SI	iding H	Hardware	Kit
------------------	---------	----------	-----


The Opus VERONA Sliding Shower Hardware Kit includes everything needed to suit standard & large sized alcove/ corner shower situations with single or double side panels. It is supplied with a 1350mm Standard bar included along with

rollers, stoppers, (wall, glass and rail) connectors & gu	ide.
Refer to Section 1 for parts.	

Polished Chrome	SS30KITPS	•
Black	SS30KITBLK	0
Satin Stainless	SS30KITSS	•
	SS30CUST	0

Custom Kit or Special bar Length

GLASS CUT-OUT DETAILS



^{*}Maximum Door weight 45kgs

EXPOSED SLIDING SHOWER SYSTEM KITS




EXPOSED SS12 Sliding Door Hardware Kit


EXPOSED SS12 Sliding Door Hardware Kit	FINISH	ORDER CODE	PRICE
The Opus Exposed SS12 Sliding Shower Door Hardware Kit includes everything needed to suit standard & large sized alcove/corner shower situations with single or double side panels. It is supplied with a 1260mm Standard undrilled bar included along with finger door pull, rollers, stoppers, (wall, glass and rail) connectors, antijump pins, reversible door/floor guide and adjusting tools. Suits 8–10mm glass doors. Max Door Weight 45kgs	Polished Chrome	SS12-C	
	Black	SS12-BK	•
	Brushed Brass	SS12-BB	•
	Brushed Stainless (Nickel)	SS12-BS	•
	Gun Metal (Electroplated)	SS12-GM	•
Upgrade & Swap from 1260mm Standard Bar to 2000mm Undrille	ADD + SS-2000	•	
Drill, Cut or Special Custom Length Bar (2000mm & Under)	ADD + SS-BAR	•	

*Fixed Panel floor channel must be left 20mm short on installation to allow for the slide on floor mounted door guide *Maximum Door weight 45kgs

GLASS CUT-OUT DETAILS



ECLIPSE CONCEALED SLIDER DOOR SYSTEM




ECLIPSE Concealed Sliding Door System

Opus Hardware's ECLIPSE System is a concealed modular roller sliding door kit and requires holes only in the sliding door so standard 10mm undrilled plain panels can be used on the side and return panels. The sliding rail track sits on top of the fixed panels and can be used for alcove or corner showers by simple mitre cuts.


Kit comes with rollers, stop blocks, door guide and 2.5m of sliding track extrusion.

Handle is not included. Max door weight is 45kgs

FINISH	ORDER CODE	PRICE
Polished Chrome	SH808-C	•
Black	SH808-BK	•
Brushed Brass	SH808-BB	0
Brushed Stainless (Nickel)	SH808-BS	0
Gun Metal	SH808-GM	0



BANIO SOFT CLOSE SLIDING SHOWER DOOR



BANIO Shower Door Complete Kit

Opus Hardware's Banio Soft Close sliding glass shower system blends the functionality of our innovative sliding technology for minimalist clean lines to enhance any bathroom design. The Banio Soft Close sliding shower has been specifically designed to allow you to design for wall-to-wall, wall-to-glass and glass-to glass applications. Extrusion 1485mm long.

- Anodised Aluminium Finish
- Suits 8mm & 10mm
- Maximum door weight: 40kg
- Maximum door height: 2200mm
- System is priced on application

Interested?

Send us an email with your project details or requirements to register your interest! sales@opushardware.co.nz



